


One Stop Solution *For Scaffolding*

- ✓ Rentals
- ✓ Manufacturing
- ✓ Shuttering Products
- ✓ Repair & Recondition

CONTACT US

- ▶ [Shivscaffolding.com](https://shivscaffolding.com)
- ▶ Gurugram | Bengaluru | Chennai



Our Services



Rental

This facility is for those who requires the shuttering and scaffolding for the time being. All the products and equipment are available for rent.



Manufacturing

Shiv Scaffolding manufactures MS shuttering & scaffolding within house warehousing & inventory.

Shiv Scaffolding offers scaffolding for:

- Heavy industrial Structures
- Residential & Glazing
- Commercial & Institutions




Repair and Recondition

Shiv Scaffolding is providing the service of scaffolding repair and reconditioning work. The steps to repair and recondition is:

- Blast Cleaning
- Inspection
- Repair and recondition
- Paint and finishing

Scaffolding Products



Cuplock Verticals/Standards

We make an extensive range of supreme quality cuplock verticals. These principal load bearing members have top and bottom cups. Bottom cups are welded at 500/1000mm distance position. Besides, top cups can be moved and retained by a fix. Verticals are made of 40 NB medium/ heavy class pipes and drilled to fix spigot pin.

Feature:

- High Load Bearing Capacity
- Resistant to damage
- Easy to Assemble

Sizes in MTR	Size in MM	Weight in KG
3 MTR	3000 MM	13.3*
2.5 MTR	2500 MM	10.8*
2 MTR	2000 MM	8.6*
1.5 MTR	1500 MM	6.5*
1 MTR	1000 MM	4.5*
0.5 MTR	500 MM	2.4*



Cuplock Ledgers / Horizontals

Shiv Scaffolding manufactures cuplock ledgers/ horizontals using 40 NB light or medium range pipe with forged blades that are soldered at the ends. Length of the ledgers or horizontals is measured between center to center of two verticals. Moreover, we provide the alternative of choosing between standard as well as customized cuplock ledger/horizontals.

Feature:

- Simple Robust Design
- Low Maintenance
- Durable standards

Scaffolding Products

Sizes in MTR	Length in MM	Weight in KG
2 MTR	2000 MM	6.8*
1.95 MTR	1950 MM	6.7*
1.45 MTR	1450 MM	5.5*
1.2 MTR	1200 MM	4.2*
1.15 MTR	1150 MM	4.0*
.950 MTR	950 MM	3.3*
.550 MTR	550 MM	2.4*



Base Jack

Base Jack offered can be made available by us in different outer diameter pipe & rod options, as well as, size choices of 34*650 MM and others as per the specific demands of the customers. These jack can be provided with different loading capacities of 5 to 6 tons as well as in versatile and heavy duty steel construction. Some of its features includes modular scaffold system, allowing for reliable usage as well as easy construction and dismantling possibilities.

Sizes in Inch	Length in MM	Weight in KG
14	355	3.0*
18	450	3.5*
24	600	4.3*



Scaffolding Products



U-Head Jack

The U-Heads Jacks are designed to be used in conjunction with adjustable scaffolding system. The main function of a U-HEAD is to hold timber beams securely in place. The U-HEADS Jack offered by us are of superior quality standard.

These are adjustable and that is the biggest advantage of these.

Sizes in Inch	Sizes in MM	Weight in KG
14	350	3.0*
18	450	3.5*
24	600	4.3*



Walkway Plank

Our organization is instrumental in supplying a best-in-class range of Walkway Planks to the esteemed patrons. We have a team of proficient and skilled professionals who understand industrial requirements and design the planks accordingly. Moreover, our quality controllers check these walkway planks on certain well-defined parameters to ensure their conformity with international quality standards.

Length in MM	Weight in KG
1000	7.5
1200	8.5
1500	11
1800	14

Scaffolding Products



Challis

Being the prestigious provider of MS Challis rental services, we are specialized in offering a premium quality range of products that are precisely manufactured by our dedicated and deft professionals using sophisticated machinery and premium quality raw material. Our products are highly acknowledged among our clients for reliable performance.

Length in MTR	Weight in KG
2 MTR	16.5
2.2 MTR	17.5
2.5 MTR	18.5



Toe Board

A toe board is one of the most elementary part of protection gear. Our toe board can work even in scorching heat, jittering cold, rain and any other weather condition. They are always available in our warehouse for use.

Length in MM	Weight in KG
1200	10
1500	12

Shuttering Products



Tele Props

Acrow props are used to temporarily support the structure of a building. Made from solid iron, SHIV SCAFFOLDING offers superior grade acrow props to our customers which are adjustable according to the height. The props are made using 40 NB (48.3 mm) pipe for Inner & 50 NB (60 mm) for Outer.

Size in Meter	Weight in KG
2x2	18.3
2x3	21.3
3x3	25.0



Channels

Indian standard medium channel (ISMC) are used to hold the building in construction. ISMC channels are made sturdy and heavy to uplift the construction site so that it won't collapse. The company uses apex quality of channels in the industry. Our channels are exclusively designed to endure adverse weather conditions as well as heavy load.

Height in Feet	Weight in KG
8	18.4
9	20.7
10	23
20	46




Acrow Span

We are the foremost supplier and manufacturer of Acrow Spans. We offer an array of products to our clients to satiate their needs and demands. We can use Acrow span in lieu of Channel. Acrow Span is adjustable in size. It is very useful in uneven areas. Our product holds a heavy load bearing capacity, which gives it a long life. The durability and the life span of this product is our USP.

Height in Feet	Weight in KG
2.5x2.5	40

Shuttering Products



Shuttering Plate

Backed by rich industry experience and knowledge, we have been able to manufacture, export and supply a broad range of Wall Form Panels. Offered panel is used in the construction industry for forming various structures like side wall, foundation, footings, etc. This panel is manufactured under the precision of our dexterous professionals using advance techniques and quality approved material.

Feature:

- Robust construction
- Minimal maintenance
- Corrosion resistance
- Durable finish standards

Height in MM	Feet	Weight in KG
300x900	12X3	8.6
375x900	15X3	10.5
450x900	18X3	11.5
600x900	2X3	15.3



MS Pipe

MS Scaffolding pipes are mainly used to get in scaffolding and shuttering works as a base structure for Formwork strengthening applications. MS Scaffolding pipes can be easily installed or erected. These 40 NB pipes with 48 mm outside dia with wall thickness of 3.2mm are sturdy, lightweight but has high loads carrying capacity.

Accessories

Scaffolding | Form Work (Shuttering) | Scaffolding Industry
Accessories Scaffolding Tools



U Head Jack



Base Jack



Jack Rod with Nut



C Clamp



Jack Nut



Cup Nut



Spigot Pin



Joint Pin



MS Gogo Nut



Casting Gogo Nut



Gogo Machine



I Bolt



Wailing Clamo



Beam Coupler



Ladder Clamp



Wedge Plate




Wing Plate



Rapid Clamp



Prop G Gin



Stub Pin

Accessories

Scaffolding | Form Work (Shuttering) | Scaffolding Industry
Accessories Scaffolding Tools



Forged Top Cup



Casting Top Cup



Bottom Cup



Ledger Blade



Prop Lnt Nut



Prop Sleeve with Nut



Base Plate



U Plate



The Rod



Anchor Nut 2 Wings



Anchor Nut 3 Wings



Water Stopper



Swivel Sheet Coupler



Fixed Sheet Coupler



Swivel Forged Coupler





Fixed Forged Coupler

Our Clients



Our Clients





SHIV SCAFFOLDING
- LIMITED -



Our Branches

Gurugram | Bengaluru | Chennai

Office Address

Sy No. 40/1, Marenahalli Village, Jala, Hobli Yelahanka Taluk, Bangalore (562149)

Email: Shivscaffolding001@gmail.com | Management@shivscaffolding.com

Website: Shivscaffolding.com

Owner No. 91533-90000 | 93547-93000 | 99901-75777 | **GM No.** 90350-26700

Office No. 96064-53153 | 89048-63522 | 96064 53159